

TruVision Navigator 9.0 Release Notes

P/N 1073457-EN • REV A • ISS 04OCT19

Introduction

These are the TruVision Navigator 9.0 Release Notes with additional information not covered in the user manual. For the latest information on TruVision Navigator 9.0:

Americas: www.interlogix.com/library

EMEA: www.firesecurityproducts.com

Australia: www.interlogix.com.au

Overview

This document covers the following:

- Summary of new features and key enhancements
- Summary of bugs fixed
- Summary of limitations

Summary of new features and key enhancements

General

- The user interface was updated and redesigned.
- TVK-600 keypad support was added (Device Manager support only).
- TVE-xx20 support was added.
- Bookmarks were added to the Navigator database, so they are available after Navigator is closed and restarted.

Settings

- In the **Server** tab, support for installing an SSL certificate from a Certified Authority was added (client/server only).
- In the **Notifications** tab, support for adding multiple user email addresses, and SMS phone numbers (US only), for notification was added.
- In the **Notifications** tab, support for email notification threshold (repeat motion detection and video loss notifications) was added.
- In the **Groups and Users** tab, support for adding a user's SMS phone number and carrier was added (US only).
- The **Event-Actions** tab was added. Event-action configuration permits the user to cause an action on any device in the Navigator panel triggered from any number of devices reporting notifications.

Navigator panel

- Map icon designs were updated and device description labels were added to map icons.
- Thumbnail search was added to the camera context menu (only works with recorders that support this feature).
- Logical view support for all devices (Decoder, UltraSync, IFS switch, Encoder, TruPortal) was added.

Viewer panel

- The ability to add multiple timelines for up to four cameras was added.
- ANPR camera support with LPR notifications (EMEA only) was added.

Notifier panel

- The **Date Time** filter was added.

Summary of bugs fixed

- WIN Server 2016: Fixed an issue where, when the text display size is set to 125%, a few options were not available for scroll and selection.
- Fixed an issue where 360° cameras in 4-PTZ view PTZ operations were not working.

Summary of limitations

Decoder integration (TVE-DEC12)

- When added to a decoder scene, the TVB-56xx, TVD-56xx, TVT-56xx, and TVW-56xx model cameras exhibit unexpected behavior.
- The active scene is not retained after decoder reboots.
- Cannot use the '&' symbol when creating new scenes or renaming existing scenes.

Settings

- Modifications to a user group are not seen in the **Audit History** tab.
- ANPR events (EMEA only) are not added into the Event list in the **Event-Actions** tab.
- ANPR events (EMEA only) are not available in the Email Notifications list in the **Notifications** tab.

Server

- The client can still auto-login even though domain names are removed from LDAP server settings.
- Some LDAP user details from Server are not available in TruNav.

Navigator panel

- When added to multiple devices, **Show in map** is inconsistent for 360° cameras.
- The UltraSync panel server level permission exhibits unexpected behavior.

Recurring video export

- Recurring tasks are not cleared in a server PC when the exporting device is deleted from the client PC.

Localization

- The domain name is not translated into the local language.
- Localization strings are not updated for the UltraSync panel area when configured on a map.
- Danish language: the attributes titles under the recording group box have overlapping text.
- Device report attributes are missing in the following languages: Italian, Dutch, Slovak, Turkish, and Portuguese.

Contacting support

For help installing, operating, maintaining, and troubleshooting this product, refer to this document and any other documentation provided. If you still have questions, contact us during business hours (Monday through Friday, excluding holidays).

Note: Please be ready at the equipment before calling.

North America

T +1 855.286.8889

E techsupport@interlogix.com

W www.interlogix.com/support

Europe, Middle East, and Africa

W Select *Support/Contact Us* at www.firesecurityproducts.com

Australia

E security.tech.support@interlogix.com.au

W www.interlogix.com.au/support
